




— PRODUCT DATA SHEET

ML6 Warm Light



ML6 Warm Light

PRODUCT DESCRIPTION

The ML6 Warm Light outdoor light with soft white light creates a cozy atmosphere. Thanks to the latest micro prism technology it provides efficient, glare-free and targeted lighting. The lantern features a power bank function, two hooks, removable base and magnet, making it perfect for anywhere. The ML6 Warm Light is the perfect light source for comfortable outdoor evenings.



- The efficient camping lantern with warm white light from Ledlenser ensures the most modern lens technology for a glare-free illumination and a cozy atmosphere
- With three switches for intuitive and easy operation, a built-in battery indicator, and lighting that can be smoothly dimmed and brightened
- Power bank with USB connection for recharging electronic devices like cell phones, etc.
- Glow-in-the-dark elements to make it easier to find the light in the dark
- Rubber hook for hanging the light, integrated magnet for mounting it on metal surfaces, and a removable stand with an extra built-in metal hook that can be flipped out to provide more light mounting options

TECHNICAL DATA

Weight incl. batteries [g]	280
Material	Aluminum alloy
Dimensions	42 x 178 x 42

POWER SUPPLY

Power source type	18650 3.6V 3000mAh
Battery quantity	1
Rechargeable	Yes
Battery type	Lithium-ion
Total battery voltage [V]	3.6
Total battery capacity [mAh]	3000
Total battery energy [Wh]	10.8 Wh
Battery replaceable	No
Charging time [min]	300
Energy status indicator	Low Battery Warning, Charge Indicator, Battery Indicator

FURTHER SPECIFICATIONS

IP class	IP66
Drop test (drop height) [m]	1.5
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Boost, Power, Low power

LIGHT SOURCE

MAIN

Amount LEDs	18
LED type	SZ8-Y11
Color	Warm White
Color temperature [K]	2500 to 300
Color rendering index (CRI)	80

LIGHT VALUES - Main

	Boost	Power	Low power
Light output [lm]	750	550	5
Beam distance [m]	-	-	-
Run time [h]	-	3.5	200

SWITCH

Top Multifunctional switch

FEATURES

Dimmable, Transportation Lock, Red Light

ML6 Warm Light

TECHNOLOGIES

Smart Light Technology, Micro Prism Technology, Temperature Control System, Power Bank Function

ML6 Warm Light

PACKAGING AND LOGISTICS

PACKAGING INFORMATION

Type of packaging	Window Box
Scope of delivery	Transport bag, 18650 Li-Ion rechargeable Battery 3000 mAh, Charging Cable - USB-A to Micro-USB
Item No.	502084
Color	Black
MSRP price (€)	89.9

SINGLE PACKAGE

Dimensions W x H x D [cm]	8.6 x 20 x 6.5
Gross weight [g]	426.6
GTIN-13	4058205017916

OUTER PACKAGE

Unit	12
Dimensions W x H x D [cm]	36 x 21 x 21
Gross weight [g]	5257.8
GTIN-13	4058205017923

EXPORT CARTON

Unit	24
Dimensions W x H x D [cm]	38 x 45 x 22.5
Gross weight [g]	11.35
GTIN-13	4058205017930

ML6 Warm Light

ACCESSORIES

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Batteries & Accumulators	501001	18650 Li-Ion rechargeable Battery 3000 mAh	24.90 €
	502128	Batterybox7	29.90 €
Portable Energy	502129	Batterybox7 Pro	39.90 €
Batteries & Accumulators	502595	Li-Ion direct USB rechargeable battery 3.6 V 2500 mAh	24.90 €
Portable Energy	502126	Powerbank Flex3	34.90 €
Portable Energy	502125	Powerbank Flex7	54.90 €
Chargers & Cables	0380	USB Car Charger	9.90 €
	502271	USB Adapter 2.4A	14.90 €


ML6 Warm Light

SPARE PARTS

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Chargers & Cables	SP500990_CC	Charging Cable USB-A to Magnetic - MH / iH / ML	6.90 €

ML6 Warm Light

PRODUCT SERIES



ML6 Warm Light

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

*) 7 year warranty only if registered, otherwise 2 years. Warranty conditions viewable at <https://ledlenser.com/en/infos-service/warranty/>

1) Measured values according to ANSI/PLATO FL 1 in the respective setting named. If no setting is specifically named, the luminous flux (lumens/lm) and range (meters/

m) values refer to the brightest setting and the burn time (hours/h) values refer to the lowest setting. A boost function (if available) can be used several times, but is only available for a short time at a time. In case the lamp is equipped with colored LED(s), the measured values are given with white light or the white LED. If the lamp has different energy modes, the "energy saving mode" is the basis for the measurement.

2) Calculated value of the capacity in watt-hours (Wh). This applies to the battery(ies) contained in the delivery condition of the respective item or, in the case of lamps with rechargeable battery, to the battery(ies) contained herein in a fully charged condition.