



— PRODUCT DATA SHEET

MT14



MT14

PRODUCT DESCRIPTION

The light illuminates the darkest forest. The battery lasts for the longest camping, hunting or fishing trip. The MT14 also sits particularly well in your hand and the front switch allows it to be easily used with one hand. Charging it via USB 3.0 is also easy. Thanks to its quick charge feature, you save a huge amount of time.

- Easy to operate – fast switching and focusing with only one hand
- Everything under control – Battery and charge indicator
- Very long operational time – Up to 192 hours¹ in the lowest setting
- Very good lighting performance – Up to 320 meters¹ beam distance
- Eco-friendly and convenient – rechargeable via USB 3.0



TECHNICAL DATA

Length defocused [mm]	151
Length focused [mm]	158
Head diameter [mm]	39
Tube diameter [mm]	32
Weight incl. batteries [g]	253
Weight without batteries [g]	152
Focus function	Yes
Head material	Aluminum alloy
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Cartridge	No

POWER SUPPLY

Power source type	Rechargeable battery
Battery quantity	1
Battery type	Li-ion
Battery replaceable	Yes
Total battery voltage [V]	3.7
Total battery capacity [mAh]	4900
Total battery energy ² [Wh]	18.13
Rechargeable	Yes
Charging time ⁵ [min]	480
Energy modes	Constant Light, Energy Saving
Energy status indicator	Battery Indicator, Charge Indicator

FURTHER SPECIFICATIONS

IP class	IP54
Drop test (drop height) [m]	2
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Power, Mid Power, Low Power, Strobe

LIGHT SOURCE

Amount LEDs	1
LED type	Xtreme LED
Color	White
Color temperature [K]	6000 to 8000
Color rendering index (CRI)	65

LIGHT VALUES

ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
Light output ¹ [lm]		1000	200	10
Beam distance ¹ [m]		320	120	30
Run time ¹ [h]		9	20	192

SWITCH

Front Switch

FEATURES

Transportation lock , Focus lock

TECHNOLOGIES

Advanced Focus System³, Smart Light Technology, Temperature Control System, Rapid Focus

MT14

PACKAGING AND LOGISTICS



Exemplary Packaging Illustration

PACKAGING INFORMATION

Type of packaging	Box
Scope of delivery	1 set of rechargeable batteries, Hand strap, Pouch, USB cable
Item No.	500844
Customs tariff number	8513100000
Color	black
MSRP price (€)	109.00

SINGLE PACKAGE

Dimensions W x H x D [cm]	20 x 13 x 8.5
Gross weight [g]	679
GTIN-13	4058205007535

INNER CARTON

Unit	6
Dimensions W x D x H [cm]	40.7 x 20.6 x 18.5
Gross weight [g]	4311
GTIN-13	4058205007542

EXPORT CARTON

Unit	12
Dimensions W x D x H [cm]	46 x 45 x 25
Gross weight [kg]	10.5
GTIN-13	4058205007559

MT14

ACCESSORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME	MSRP
Fastenings / Brackets	500993	Tripod Type A	19.90 €
Fastenings / Brackets	501033	Magnetic Mount	39.90 €
Fastenings / Brackets	501034	GoPro Adapter Type A	39.90 €
Color filter / Signal caps	501039	Color Filter Set 39mm	19.90 €
Remote Switchs	501025	Remote Switch Type E	24.90 €
Pouches / Holster	501027	Leather Pouch Type B	19.90 €
Battery	501002	26650 Li-Ion rechargeable Battery 5000 mAh	24.90 €
Charger / Cable	0380	USB Car Charger	9.90 €
Charger / Cable	0389	USB Power Supply and Adapter Cable	14.90 €

MT14

PRODUCT SERIES

The Ledlenser Outdoor-Series

Brightness in your Hands. Darkness under control.

Not only do mountain hikers have high standards when it comes to flashlights, headlamps and lanterns – so do campers, geocachers, hunters, anglers and many other outdoors fans. Lights from Ledlenser meet precisely these high standards of quality in terms of functionality and design. We call it "technology engineered in Germany".

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/hrs/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.

3) EP Patent 1880139, US Patent 7,461,960

4) Warranty period of five years from the date of purchase, seven years if the product is registered online on our website. The warranty is valid worldwide and legal warranty rights also apply. It covers defects in materials and workmanship. For the proper functioning of rechargeable batteries a different warranty period of 24 months applies. Excluded from this warranty are the product series "Solidline", Ledlenser K1 and Ledlenser K2. The warranty does not apply to Defects in batteries, holsters, pouches, remote switches, color filters, imprints or surface coatings. The guarantor is Ledlenser GmbH & Co. KG, Kronenstr. 5 - 7, 42699 Solingen, Germany. More information: ledlenser.com/warranty

5) Charging time varies by hardware used.