



— PRODUCT DATA SHEET

TAC6R



TAC6R

PRODUCT DESCRIPTION

Easy to use, robust and reliable: With the TAC6R, you are ready for your next mission. The extremely compact tactical flashlight has everything you need for a search or security mission, hunting or prepping—a no-nonsense tactical End Cap Switch for intuitive, rapid control as well as a strong battery and hard-anodized aluminium housing. Thanks to our groundbreaking Multi-Lens Technology, you can even choose between a multi-mission tactical beam combining flood and spotlight or choose to use either one individually.



- Multi-mission tactical beam: Choose between a light pattern designed for tactical operations with a combined flood and spotlight and individual flood or spotlight (Multi-Lens Technology)
- Intuitive, rapid control: Tactical End Cap Switch and mechanical transport lock
- Rugged & action-ready: Hard-anodized aluminium housing as well as high water and dust resistance (IP68)
- Light functions: Check, TAC Mid, TAC High, Search, TAC Boost, Strobe; with up to 2000 lm (34,000 cd)
- Powerful 18650 Li-Ion battery, rechargeable via USB-C

TECHNICAL DATA	
Weight incl. batteries [g]	158
Material	Aluminum alloy
Luminous range [mm]	139
Luminous range (focused) [mm]	139
Tube diameter [mm]	25
Head diameter [mm]	35

POWER SUPPLY	
Battery quantity	1
Rechargeable	Yes
Battery type	Lithium-ion
Total battery voltage [V]	3.6
Total battery capacity [mAh]	2600
Total battery energy [Wh]	9.36 Wh
Battery replaceable	Yes
Charging time [min]	180
Energy status indicator	Battery Indicator, Charge Indicator, Low Battery Warning

FURTHER SPECIFICATIONS	
IP class	IP68
Drop test (drop height) [m]	2
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS	
Combined: TAC Boost, Check, TAC Mid, TAC High, Search	

LIGHT SOURCE	COMBINED
Amount LEDs	3
Color	-
Color temperature [K]	6000 to 7500
Color rendering index (CRI)	70

LIGHT VALUES - Combined					
	TAC Boost	Check	TAC Mid	TAC High	Search
Light output [lm]	2000	100	600	1100	500
Beam distance [m]	370	20	200	280	270
Run time [h]	-	15	3.5	1.7	3

TAC6R

SWITCH

End-cap Multifunctional switch30

FEATURES AND TECHNOLOGIES

Multi-Lens Technology, Intuitive, Rapid Control, Rugged & Action-Ready, IP68, Dual Power Source, Flicker Free, Transportation Lock, Backup Mode, Sustainable, Temperature Control System184

TAC6R

PACKAGING AND LOGISTICS



PACKAGING INFORMATION

Type of packaging	Box
Scope of delivery	1 set of rechargeable batteries (18650), Pouch Type G, Adjustable hand strap
Item No.	503052
Color	Black
MSRP price (€)	119
Customs tariff number	CTN_85131000

SINGLE PACKAGE

Dimensions W x H x D [cm]	7.2 x 21 x 6.3
Gross weight [g]	350
GTIN-13	4058205035965

EXPORT CARTON

Unit	16
Dimensions W x H x D [cm]	44.5 x 17.5 x 31
Gross weight [g]	6230
GTIN-13	4058205035941

TAC6R

ACCESSORIES

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Bags & Holsters	503193	Tactical Professional Holster Type D	34.90 €
Mounts & Brackets	0362	Universal Mounting System	14.90 €
Mounts & Brackets	503188	Picatinny Rail Mount A	29.90 €
Color filters & Signal caps	502237	Signal Cone 35.1mm	9.90 €
Color filters & Signal caps	502238	Color Filter Set 35.1mm	19.90 €
Bags & Holsters	0342	Pouch Type G	9.90 €
Remote Controls	503194	Remote Switch Type H	29.90 €
Roll Protection	503191	Finger Ring A	16.90 €
Mounts & Brackets	503189	Recoil Ring A	14.90 €

TAC6R

SPARE PARTS

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Fastenings / Spare Parts / Products	SP502190_AL	Adjustable Lanyard	0.00 €
Charger / Spare Parts / Products	SP502910_USB	Charging Cable USB-C to USB-C	5.90 €
Batteries / Spare Parts / Products	900030	18650 Li-Ion USB-C direct charging battery - 3,6V / 2600mAh	0.00 €
	900027	Clip-for-TAC6R	0.00 €
	900028	Rearcap f. TAC6R	0.00 €

TAC6R

PRODUCT SERIES

Tactical Brilliance: With our TAC-series, nothing is left to chance. Whether you depend on tactical light at your job as a member of the police, special forces or security company or need additional light when hunting or prepping in your free time—when light matters, our TAC-series flashlights have your back.

TAC6R

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measured values according to ANSI/PLATO FL 1 in the respective setting named. If no setting is specifically named, the luminous flux (lumens/lm) and range (meters/m) values refer to the brightest setting and the burn time (hours/h) values refer to the lowest setting. A boost function (if available) can be used several times, but is only

available for a short time at a time. In case the lamp is equipped with colored LED(s), the measured values are given with white light or the white LED. If the lamp has different energy modes, the "energy saving mode" is the basis for the measurement.

9) All aluminium components are made of at least 75 % recycled aluminium and may thus vary in surface structure and color.

*) 7 year warranty only if registered, otherwise 2 years. Warranty conditions viewable at <https://ledlenser.com/en/infos-service/warranty/>

10) Applies to the TAC7R and TAC6R.